

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/083,476	02/27/2002	Roger N. Piasio	· · · · · · · · · · · · · · · · · · ·	4777
7590 09/13/2005			EXAMINER	
MARY HELEN SEARS			DEVI, SARVAMANGALA J N	
The M.H. Sears	s Law Firm, Chartered h Street N.W.	•	ART UNIT	PAPER NUMBER
Washington, DC 20006			1645 DATE MAILED: 09/13/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.
10/083,476	02/27/2002	Piasio et al.		
			EXAMINER	
MARY HELEN SEARS The M.H. Sears Law Firm	ı, Chartered	S. Devi, Ph.D.		
910 Seventeenth Street, N Washington, DC 20006	N.W.		ART UNIT	PAPER
			1645	092005
			DATE MAILED:	

Please find below and/or attached an Office communication concerning this application or proceeding.

5

Commissioner of Patent

NOTICE OF NON-RESPONSIVE AMENDMENT

The reply/response filed 03/23/05 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the amendment to the specification is not in strict compliance with the revised mandatory amendment practice under 37 CFR 1.121 as required effective 30 July 2003 (see Attachment). Specifically, the amendment does not provide the proper marking for each new amendment, including the deletion(s). Two examples of non-compliance are provided herein: (A) The recitation 'Serial No. 09/399,710' has been deleted from the top of page 8 of the specification submitted 03/23/05. However, the deletion is not indicated by strikethrough or double brackets. (B) The limitation 'U.S. Serial No. 518,165, than' at the end of page 6 of the original specification is now underlined as though the limitation is newly added. However, this limitation was present in the specification as originally filed. Since the above-mentioned reply/response appears to be *bona fide*, Applicant is given **ONE (1) MONTH** or **THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Papers related to this application may be submitted to Group 1600, AU 1645 by facsimile transmission. Papers should be transmitted via the PTO Fax Center, which receives transmissions 24 hours a day and 7 days a week. The transmission of such papers by facsimile must conform with the notice published in the Official Gazette, 1096 OG 30, November 15, 1989. The RightFax number for submission of amendments, responses or papers is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAG or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.Mov. Should you have questions on access to the Private PAA system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to S. Devi, Ph.D., whose telephone number is (571) 272-0854. A message may be left on the Examiner's voice mail system. The Examiner can normally be reached on Monday to Friday from 7.15 a.m. to 4.15 p.m. except one day each bi-week, which would be disclosed on the Examiner's voice mail system.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Lynette Smith, can be reached on (571) 272-0864.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (571) 272-1600.

September, 2005

S. DEVI, PH.D. PRIMARY EXAMINER